



IF product design award 2009



POS ON TP 6200 is a compact size, low power consumption POS system. It is specially designed for restaurants, specialty shops and retail stores.

All-in-one design combines the host unit, monitor, MSR, and customer display together with no cable exposure. The POS even provides a printing paper slot for your promotional campaign in customer front of the machine.

POS ON TP 6200 The IF Product Design Award 2009.

Specifications

Host	
Mainboard	POS control mainboard
Chipset	Intel 910+NH82801
CPU	Intel CM 1.5Ghz (1M cache)
RAM	1G DDR2 on board (up to 2G)
HDD	160G 2.5" SATA HDD (or 8G DOM optional)
Power	72W/100~240V

Interface	
Serial Port	2 x external
Parallel Port	1 x external
PS/2	1 x keyboard external
VGA	1 x external
LVDS	1 x internal
USB(Support 1.1/2.0)	2 x 12V Powered USB external, 1 x 24V Powered USB external,
	3 x 5V USB external
LAN	1 x 10M/100M external

Specifications

Touch Monitor	
Monitor	15" TFT LCD (1024x768)
Brightness	250 cd/sq.m
Touch Panel	5 wire resistive touch panel, 35 million touches
Display	2 x 20 VFD Display (5 x 7 dot matrix)
Physical Data	
Dimension	157(D) x 102(W) x 148(H)inch
Weight	19.1 lbs (N.W.)
Operation Condition	
Temperature	23 to 122F
Relative Humidity	10 to 90%



IF product design award 2009

